



**Implementation Survey  
Syracuse University  
Industrial Assessment Center**

Phone: 315-443-1523  
Fax: 315-443-9099  
Email: [iac@ecs.syr.edu](mailto:iac@ecs.syr.edu)  
<http://iac.syr.edu/>



Thank you for participating in the Industrial Assessment program with our team from Syracuse University.

Please take a few minutes to fill out the following implementation survey. This information is very important to our team and to the U.S. Department of Energy for evaluation purposes. Please return the completed material at the earliest possible date to

Suresh Santanam, ScD. Director  
S.U. Industrial Assessment Center  
263 Link Hall, Syracuse University  
Syracuse, NY 13244

Company name: \_\_\_\_\_

Assessment number: SU0316 \_\_\_\_\_

Assessment date: 12/09/2011 \_\_\_\_\_

Report date: 2/07/2011 \_\_\_\_\_

Contact person: \_\_\_\_\_

Title: \_\_\_\_\_

Mailing address: \_\_\_\_\_

Phone: \_\_\_\_\_

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

General comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Have you or do you intend to share the results of this study with anyone else?

---

---

Did our visit result in any other energy saving projects or activities, which were not part of the recommendations listed in our report?

---

---

AR # 1

Recommendation name:

Implementation status (please circle one):

Was completely implemented as of the following date:

Will be implemented by the following date:

Will not be implemented

If the recommendation has been or will be implemented, please estimate:

Implementation cost: \_\_\_\_\_

Savings, if different from estimated above: \_\_\_\_\_

If the recommendation will not be implemented please choose a reason and provide further explanation below:

Code	Reason	Code	Reason
1	Unsuitable return on investment	10	Material restrictions
2	Too expensive initially	11	Bureaucratic restrictions
3	Cash flow prevents implementation	14	Lack of staff for analysis and/or implementation
4	Unacceptable operating charges	15	Not worthwhile
5	Impractical	16	Disagree
6	Process and/or equipment changes	17	Risk or inconvenience to personnel
7	Facility change	18	Suspected risk or problem with equipment or product
8	Personnel changes	19	Rejected after implementation failed
9	Production schedule changes	22	Other

If the recommendation will not be implemented please provide detailed reasoning why:

---

---

Additional Comments:

---

---

---